Emperor

DESCRIPTION

- Industrial protective glove.
- Unsupported natural rubber latex glove.
- 4 sizes available : 71/2, 81/2, 91/2 and 101/2.
- Trade unit 12 pairs, 12 pairs in a transit case.

CHARACTERISTICS

- Unlined 100% natural rubber latex unsupported glove.
- 4 different lengths : 267mm, 432mm, 610mm and 661mm.
- 3 different thicknesses: 1,60mm, 2,40mm, 3, 00mm.
- Beaded cuff for tear resistance and easy donning.
- Smooth finish.

PERFORMANCES

- High resistance to water based chemicals.
- Good flexibility et elasticity preventing tears.
- Chlorinated to harden and cleanse the surface of the glove.
- In compliance with the standards EN420 (General requirements), EN388 (Mechanical Hazards), EN374 (Chemical and Micro-organisms Hazards) by the notified laboratory BSI.
- Manufactured under EC quality assurance system carried out by the BSI body.

APPLICATIONS

- CE Complex design.
- Ideal for use where heavy duty chemical protection is essential.
- Applications : sandblasting, sanitation, agriculture.

his glove is certified to comply with the essential requirements of Eu

This glove is certified to comply with the essential requirements of European Directive EEC/89/686 of December 21rst, 1989 relative to personal protective equipment submitted to CE type examination issued by a notified laboratory, who certifies the conformity of this glove with the EN standards to which it responds and certifies the performance levels obtained during tests, and manufactured under a CE quality assurance system carried out by a notified body.

E	00	86	D	
				<u>Е</u> 2
				_

3110

ACKL

EN 388

Mechanical hazards

EN 374

Chemical hazards

El	N 420	
E١	V 420	
2	Dexterity	y



5 Dexterity

EN 420 5 Dexterity

EN 388

- 3 Abrasion
- 1 Cut
- 1 Tear
- 0 Puncture
- EN 374
- 3 A Methanol
- 3 C Acetonitrile
- 6 K Caustic soda solution
 - 40 %
- 3 L Sulfuric acid 96 %

www.marigold-industrial.com • w N° MI/TDS/EmperorEN/FT/6 - 01/09

Emperor ME 111

7,5 (S)

Order codes 8,5 (M)

9,5 (L)

10,5 (XL)



